



# Racores para tubería flexible

Embouts à sertir

Flexible hose fittings

Raccordi per tubi flessibili



## Conexiones Standard CrIII

Embouts série Standard CrIII | Standard serie fittings CrIII | Raccordi serie Standard CrIII

## Conexiones Interlock CrIII

Embouts à sertir Interlock CrIII | Interlock serie fittings CrIII | Raccordi serie Interlock CrIII

## Conexiones Reusables CrIII

Embouts Récuperables CrIII | Reusable serie fittings CrIII | Raccordi serie Recuperabile CrIII

## Conexiones alta presión (700 Bar) CrIII

Embouts haute pression 700 Bar CrIII | High pressure 700 Bar fittings CrIII | Raccordi Altissima pressione (700 Bar) CrIII

## Conexiones Standard Zn/Ni


Embouts série Standard Zn/Ni | Standard serie fittings Zn/Ni | Raccordi serie Standard Zn/Ni

## Conexiones Interlock Zn/Ni

Embouts à sertir Interlock Zn/Ni | Interlock serie fittings Zn/Ni | Raccordi serie Interlock Zn/Ni



► **Una única conexión para una amplia gama de mangueras** | Un seul embout pour une grande gamme de tuyaux | One only fitting for a wide range of hoses | Un solo raccordo per una vasta gamma di tubi



EN 857 1 SC	SUPERSERVICE 155° 1SC	SAE 100 R8 EN855	SAE 100 R7 EN855	Metallic Braid Elastomer	2 Metallic Braids Elastomer	SAE100 R4	SAE 100 R6	Smooth PTFE 1 Braid	Smooth PTFE 2 Braids	Convolute PTFE
PF23... DI23... SC2112...	DI23 PF23 SC2112	PF23... DI23...	PF23... DI23...	PF23... DI23...	PF1224... DI1224...	PF1224... DI1224...	PF23... DI23...	21040...	PF23... DI23... 21040...	21041...

EN 853 1ST SAE 100 R1A	EN 853 1 SN SAE 100 R1AT	EN 853 2SN SAE 100 R2AT	EN 857 2SC	SUPERSERVICE 155° 2SC	EN 853 2ST SAE 100 R2A	EN 856 4SP SAE100 R9R	EN 856 SAE 100 R12
22003...	PF2212... DI2212... SC2112	PF2212... DI2212...	PF2212... DI2212...	PF2212... DI2212...	PF1224... DI1224...	PF1224... DI1224...	PF1224... DI1224...


## Serie Interlock

Série interlock | Interlock serie | Serie Interlock



**HYNESUR**  
SUMINISTROS DE HIDRÁULICA Y NEUMÁTICA DEL SUR, S.L.


- **Una única conexión para toda la gama de mangueras de alta presión** | Un seul raccord pour tous les tubes de très haute pression | One only fitting for all very high pressure tubes | Un solo raccordo per tutti i tubi ad altissima pressione




EN856  
4 SH

EN856  
SAE100  
R 13


EN856  
SAE100  
R 15



A610...  
BA610...



A610...  
BA610...  
610...



A610...  
BA610...  
610...


## Conexiones Standard **CrIII**

Embouts série Standard **CrIII** | Standard serie fittings **CrIII** | Raccordi serie Standard **CrIII**

### ▶ **Casquillos para prensar** | Jupes à sertir | Crimping ferrules | Boccole a pressare



22003



DI1224




21012



DI2212



SC2112



DI2300



21040



21041

### ▶ **Conexiones BSP** | Embouts BSP | BSP Fittings | Raccordi BSP



24100



24110



24200



24400



24107



24117



24261



24108



24207



24127



24118



24112




24212




24114



24161



24111



A1090

### ▶ **Conexiones JIC 37°** | Embouts JIC 37° | JIC 37° Fittings | Raccordi JIC 37°



24142



24242



24138




24139




24140

### ▶ **Conexiones Métricas DIN 2353** | Embouts Métriques DIN 2353 | Metric fittings DIN 2353 | Raccordi Metrici DIN 2353




24804



24116



24305



S1092



24306



24300



24203



24190




24158



24258




24358



24404



24405



24406



2580496

► **Conexiones Métricas Serie Francesa** | Embouts Métriques Série Française | Metric fittings French Serie | Raccordi Metrici Serie Francese



24503

2450518

24504

24505

► **Conexiones ORFS** | Embouts ORFS | ORFS Fittings | Raccordi ORFS



44900

44912

JUNTAS

44907

44908

► **Bridas SAE 3000/6000 PSI** | Brides SAE 3000/6000 PSI | 3000/6000 PSI SAE Flanges | Flangia SAE 3000/6000 PSI



24182

24183

24184

24282

24283

24284

► **Bridas SAE** | Brides SAE | SAE Flanges | Flangia SAE



BBP

BBE

► **Juntas para bridas** | Joints pour brides | Seals for flanges | O'Ring per flangia



JUNTAS

JBR

► **Bridas 9000 PSI** | Embouts brides | 9000 PSI Flanges | Flangia 9000 PSI



44282

44284

44283

► **Pletinas de bridas Poclairn** | Embouts brides type Poclairn | Poclairn Flanges | Flangia Poclairn



44801

44803

44802

► **Bridas Poclairn** | Brides Poclairn | Poclairn Flanges | Flangia Poclairn



44805


44807

44806

44808

► **Conexiones Standard CrIII | Embouts série Standard CrIII | Standard serie fittings CrIII | Raccordi serie Standard CrIII**

► **Racores para hidrolavadoras | Embouts Karcher | Karcher fittings | Raccordi per idropulitrici**



23040



23060



23061



2307



23062

## Conexiones Interlock **CrIII**

Embouts à sertir Interlock **CrIII** | Interlock serie fittings **CrIII** | Raccordi serie Interlock **CrIII**

▶ **Casquillos** | Jupes | Crimp ferrules | Boccole a pressare




BA610

▶ **Conexiones BSP** | Embouts BSP | BSP Fittings | Raccordi BSP



B64100



B64107



B64112

▶ **Conexiones JIC 37°** | Embouts JIC 37° | JIC 37° Fittings | Raccordi JIC 37°



B64142



B64138

▶ **Conexiones Métricas DIN 2353** | Embouts Métriques DIN 2353 | Metric fittings DIN 2353 | Raccordi Metrici DIN 2353




B64204



B64205

▶ **Racores para martillo** | Embouts pour marteau | Fittings for hammer | Raccordi per martello



NAM

▶ **Bridas SAE 3000 PSI** | Embouts brides SAE 3000 PSI | 3000 PSI SAE flange | Flangia SAE 3000 PSI



B64182



B64183

▶ **Bridas SAE 6000 PSI** | Embouts brides SAE 6000 PSI | 6000 PSI SAE flange | Flangia SAE 6000 PSI



B64282



B64283



► **Conexiones Interlock CrIII | Embouts à sertir Interlock CrIII | Interlock serie fittings CrIII | Raccordi serie Interlock CrIII**

► **Bridas Poclairn | Embouts brides Poclairn | Poclairn Flanges | Flangia Poclairn**



64801



44805



44807



64802



44806



44808

► **Conexiones alta presión (700 Bar) CrIII**

Embouts haute pression 700 Bar **CrIII** | High pressure 700 Bar fittings **CrIII** | Raccordi Altissima pressione (700 Bar) **CrIII**

► **Casquillos** | Jupes à sertir | Ferrules | Boccole



MT700



71012

► **Conexiones BSP** | Embouts BSP | BSP Fittings | Raccordi BSP



74100



74112



74161

## Conexiones Standard Zn/Ni

Embouts série Standard Zn/Ni | Standard serie fittings Zn/Ni | Raccordi serie Standard Zn/Ni

### ▶ Casquillos para prensar | Jupes à sertir | Crimping ferrules | Boccole a pressare



22003



PF1224



PF2212



PF2300

### ▶ Conexiones BSP | Embouts BSP | BSP Fittings | Raccordi BSP



G24110



G24117



G24118



G24112



G24212



G24114



G24161



G24111

### ▶ Conexiones JIC 37° | Embouts JIC 37° | JIC 37° Fittings | Raccordi JIC 37°



G24140



G24142




G24138




G24139

### ▶ Conexiones Métricas DIN 2353 | Embouts Métriques DIN 2353 | Metric fittings DIN 2353 | Raccordi Metrici DIN 2353



G24804




G24116



G24305



G24306



G24203



G24158



G24258



G24404



G24405



G24406

### ▶ Conexiones ORFS | Embouts ORFS | ORFS Fittings | Raccordi ORFS



G44900



G44912



G44907



G44908

### ▶ Bridas SAE 3000/6000 PSI | Brides SAE 3000/6000 PSI | 3000/6000 PSI SAE Flanges | Flangia SAE 3000/6000 PSI



G24182



G24183



G24184



G24282



G24283



G24284

► Conexiones Standard Zn/Ni | Embouts série Standard Zn/Ni | Standard serie fittings Zn/Ni | Raccordi serie Standard Zn/Ni

► **Bridas 9000 PSI** | Embouts brides 9000 PSI | 9000 PSI Flanges | Flangia 9000 PSI



G44282



G44284



G44283

## Conexiones Interlock Zn/Ni

Embouts à sertir Interlock Zn/Ni | Interlock serie fittings Zn/Ni | Raccordi serie Interlock Zn/Ni

### ▶ **Casquillos** | Jupes | Crimping ferrules | Boccole a pressare



A61010



61010

### ▶ **Conexiones BSP** | Embouts BSP | BSP Fittings | Raccordi BSP



64100



64107



64108



64112



64161

### ▶ **Conexiones JIC 37°** | Embouts JIC 37° | JIC 37° Fittings | Raccordi JIC 37°



64142



64139



64138



64140

### ▶ **Conexiones Métricas DIN 2353** | Embouts Métriques DIN 2353 | Metric fittings DIN 2353 | Raccordi Metrici DIN 2353



64204



64206



64205



64203

### ▶ **Conexiones ORFS** | Embouts ORFS | ORFS fittings | Raccordi ORFS



64900



64908



64907

### ▶ **Bridas SAE 3000/6000 PSI** | Embouts brides SAE 3000/6000 PSI | 3000/6000 PSI SAE Flanges | Flangia SAE 3000/6000 PSI



64182



64183



64184



64282



64283



64284

### ▶ **Bridas 9000 PSI** | Embouts brides 9000 PSI | 9000 PSI Flanges | Flangia 9000 PSI



64382



64384



64383

## Conexiones Standard CrIII

Embouts série Standard CrIII  
Standard serie fittings CrIII  
Raccordi serie Standard CrIII



**HYNESUR**  
SUMINISTROS DE HIDRÁULICA Y NEUMÁTICA DEL SUR, S.L.

### Casquillos R1A/1ST



Jupes à sertir pour R1A/1ST  
Ferrules R1A/1ST  
Boccole a pressare per R1A/1ST

DN	REFERENCIA PART N°	
3/16"	220030300	
1/4"	220030400	
5/16"	220030500	
3/8"	220030600	
1/2"	220030800	
5/8"	220031000	
3/4"	220031200	
1"	220031600	
1"1/4	220032000	
1"1/2	220032400	
2"	220033200	

### Casquillos R1AT/R2AT/ R1T/1SN/2SN/2SC/R16



Jupes à sertir R1AT/R2AT/R1T/1SN/2SN/2SC/R16  
Ferrules R1AT/R2AT/R1T/1SN/2SN/2SC/R16  
Boccole a pressare per R1AT/R2AT/R1T/1SN/2SN/2SC/R16

DN	REFERENCIA PART N°	
3/16"	DI221200300	
1/4"	DI221200400	
5/16"	DI221200501	
3/8"	DI221200600	
1/2"	DI221200800	
5/8"	DI221201000	
3/4"	DI221201200	
1"	DI221201600	
1"1/4	DI221202000	
1"1/2	DI221202400	
2"	DI221203200	

### Casquillos R2A/ R9R/2ST/4SP



Jupes à sertir R2A/R9R/2ST/4SP  
Ferrules R2A/R9R/2ST/4SP  
Boccole a pressare per R2A/R9R/2ST/4SP

DN	REFERENCIA PART N°	
1/4"	DI122400400	
5/16"	DI122400500	
3/8"	DI122400600	
1/2"	DI122400800	
5/8"	DI122401000	
3/4"	DI122401200	
1"	DI122401600	
1"1/4	DI122402000	
1"1/2	DI122402400	
2"	DI122403200	

### Casquillos 1SC/1SN/2TE/3TE



Jupes à sertir 1SC/1SN/2TE/3TE  
Ferrules 1SC/1SN/2TE/3TE  
Boccole a pressare per 1SC/1SN/2TE/3TE

DN	REFERENCIA PART N°	
1/4"	SC21120400	
5/16"	SC21120500	
3/8"	SC21120600	
1/2"	SC21120800	
3/4"	SC21121200	
1"	SC21121600	


### Casquillos R6, R7



Jupes à sertir R6, R7  
Ferrules SAE 100 R6, R7  
Boccole a pressare per SAE R6, R7

DN	REFERENCIA PART N°	
1/8"	210120200	
5/8"	210121000	
3/4"	210121200	
1"	210121600	

### Casquillos R6, R7, R8 y malla metálica



Jupes à sertir R6, R7, R8 et tresse métallique  
Ferrules SAE 100 R6, R7, R8 and metallic braid  
Boccole a pressare per SAE R6, R7, R8 e Treccia Metallica

DN	REFERENCIA PART N°	
1/8"	DI2300200	
3/16"	DI2300300	
1/4"	DI2300400	
5/16"	DI2300500	
3/8"	DI2300600	
1/2"	DI2300800	
5/8"	DI2301000	
3/4"	DI2301200	
1"	DI2301600	


## Conexiones Standard CrIII



**HYNESUR**  
SUMINISTROS DE HIDRAULICA Y NEUMÁTICA DEL SUR, S.L.

Embouts série Standard CrIII  
Standard serie fittings CrIII  
Raccordi serie Standard CrIII

### Casquillos PTFE Liso alta presión




Jupes à sertir pour PTFE Lisse haute pression

Ferrules for Smooth PTFE

Boccole a pressare per tubo al PTFE Liscio alta pressione

DN	REFERENCIA PART N°	€
3/16"	210400300	1,21
1/4"	210400400	1,11
5/16"	210400500	1,38
3/8"	210400600	1,21
1/2"	210400800	1,50
5/8"	210401000	2,10
3/4"	210401200	2,36
1"	210401600	4,44

### Casquillos PTFE Corrugado alta presión



Jupes à sertir PTFE Convoluté haute pression

Ferrules for Convoluted PTFE

Boccole a pressare per tubo al PTFE Corrugato alta pressione

DN	REFERENCIA PART N°	€
1/4"	210410400	1,32
3/8"	210410600	1,63
1/2"	210410800	1,53
5/8"	210411000	2,83
3/4"	210411201	2,96
1"	210411600	4,83
1" 1/4	210412000	11,38
1" 1/2	210412400	11,92
2"	210413200	20,08

# Conexiones Standard CrIII

Embouts série Standard CrIII  
 Standard serie fittings CrIII  
 Raccordi serie Standard CrIII


## Hembras giratorias rectas BSP cono 60°



Femelle tournante gaz cyl BSP 60°  
 BSP Swivel female 60° cone  
 Femmina diritta BSP sede 60°

DN	ROSCA THREAD	REFERENCIA PART N°	
1/8"	1/8" BSP	241000202	
3/16"	1/8" BSP	241000203	
1/4"	1/8" BSP	241000204	
3/16"	1/4" BSP	241000403	
1/4"	1/4" BSP	241000404	
5/16"	1/4" BSP	241000405	
3/8"	1/4" BSP	241000406	
1/4"	3/8" BSP	241000604	
5/16"	3/8" BSP	241000605	
3/8"	3/8" BSP	241000606	
1/2"	3/8" BSP	241000608	
1/4"	1/2" BSP	241000804	
3/8"	1/2" BSP	241000806	
1/2"	1/2" BSP	241000808	
5/8"	1/2" BSP	241000810	
1/2"	5/8" BSP	241001008	
5/8"	5/8" BSP	241001010	
1/2"	3/4" BSP	241001208	
5/8"	3/4" BSP	241001210	
3/4"	3/4" BSP	241001212	
3/4"	1" BSP	241001612	
1"	1" BSP	241001616	


## Hembras giratorias rectas BSP asiento plano



Femelle tournante fond plat BSP  
 BSP Swivel female flat seat  
 Femmina diritta BSP sede piana

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	1/4" BSP	242000404	
5/16"	3/8" BSP	242000605	
3/8"	3/8" BSP	242000606	
3/8"	1/2" BSP	242000806	
1/4"	1/2" BSP	242000804	
1/2"	1/2" BSP	242000808	
1/2"	3/4" BSP	242001208	
3/4"	3/4" BSP	242001212	
1"	1" BSP	242001616	
1" 1/4"	1" 1/4 BSP	242002020	
1" 1/2"	1" 1/2 BSP	242002424	


## Hembras giratorias BSP 60° doble hexagono



Femelle tournante BSP cône 60° double hexagonal  
 BSP Swivel female 60° cone double hex.  
 Femmina diritta BSP sede 60° doppio esagono

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	1/4" BSP	244000404	
5/16"	3/8" BSP	244000605	
3/8"	3/8" BSP	244000606	
1/2"	1/2" BSP	244000808	
3/4"	3/4" BSP	244001212	
1"	1" BSP	244001616	
1" 1/4"	1" 1/4 BSP	244002020	
1" 1/2"	1" 1/2 BSP	244002424	
2"	2" BSP	244003232	


## Hembras giratorias rectas BSP cono 60° con junta tórica



Femelle tournante droit gaz cyl BSP 60° + o'ring  
 BSP Swivel female 60° with o'ring  
 Femmina diritta BSP sede 60° con o'ring

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	1/4" BSP	241100404	
3/8"	3/8" BSP	241100606	
1/2"	1/2" BSP	241100808	
5/8"	5/8" BSP	241101010	
5/8"	3/4" BSP	241101210	
3/4"	3/4" BSP	241101212	
1"	1" BSP	241101616	
1"	1" 1/4 BSP	241102016	
1" 1/4"	1" 1/4 BSP	241102020	
1" 1/4"	1" 1/2 BSP	241102420	
1" 1/2"	1" 1/2 BSP	241102424	
1" 1/2"	2" BSP	241103224	
2"	2" BSP	241103232	

## Hembras giratorias 90° BSP cono 60°



Coude 90° femelle tournante gaz cyl BSP 60°  
 90° BSP Swivel female 60° cone  
 Femmina a 90° BSP sede 60°

DN	ROSCA THREAD	REFERENCIA PART N°	
3/16"	1/8" BSP	241070203	
1/4"	1/8" BSP	241070204	
3/16"	1/4" BSP	241070403	
1/4"	1/4" BSP	241070404	
1/4"	3/8" BSP	241070604	
5/16"	3/8" BSP	241070605	
3/8"	3/8" BSP	241070606	
1/4"	1/2" BSP	241070804	
3/8"	1/2" BSP	241070806	
1/2"	1/2" BSP	241070808	
1/2"	5/8" BSP	241071008	
5/8"	5/8" BSP	241071010	
1/2"	3/4" BSP	241071208	
5/8"	3/4" BSP	241071210	
3/4"	3/4" BSP	241071212	
3/4"	1" BSP	241071612	
1"	1" BSP	241071616	



## Conexiones Standard CrIII

Embouts série Standard CrIII  
Standard serie fittings CrIII  
Raccordi serie Standard CrIII



**HYNESUR**  
SUMINISTROS DE HIDRÁULICA Y NEUMÁTICA DEL SUR, S.L.


### Hembras giratorias 90° BSP cono 60° con junta tórica



Coude 90° femelle tournante gaz cyl BSP 60° + o'ring  
90° BSP Swivel female 60° cone with o'ring  
Femmina a 90° BSP sede 60° con o'ring

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	1/4" BSP	241170404	
3/8"	3/8" BSP	241170606	
1/2"	1/2" BSP	241170808	
5/8"	5/8" BSP	241171010	
3/4"	3/4" BSP	241171212	
1"	1" BSP	241171616	
1"	1"1/4 BSP	241172016	
1"1/4	1"1/4 BSP	241172020	
1"1/4	1"1/2 BSP	241172420	
1"1/2	1"1/2 BSP	241172424	
2"	2" BSP	241173232	


### Hembras giratorias 90° BSP asiento plano



Embout à sertir coude 90° femelle tournante fond plat BSP  
90° BSP Swivel female flat seat  
Femmina a 90° BSP sede 60° sede piana

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	1/4" BSP	242070404	
3/8"	3/8" BSP	242070606	
1/2"	1/2" BSP	242070808	
3/4"	3/4" BSP	242071212	
1"	1" BSP	242071616	


### Hembras giratorias NPSM



Femelle tournante NPSM  
NPSM swivel female  
Femmina diritta NPSM

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	1/4" NPSM	242610404	
3/8"	3/8" NPSM	242610606	
1/2"	1/2" NPSM	242610808	
3/4"	3/4" NPSM	242611212	
1"	1" NPSM	242611616	


### Hembras giratorias 90° BSP cono 60° (compactas)



Coude 90° femelle tournante compact gaz cyl BSP 60°  
90° BSP Swivel female 60° cone (compact)  
Femmina a 90° BSP sede 60° (compatta)

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	1/4" BSP	241270404	
3/8"	3/8" BSP	241270606	
1/2"	1/2" BSP	241270808	
3/4"	3/4" BSP	241271212	


### Hembras giratorias 45° BSP cono 60°



Coude 45° femelle tournante gaz cyl BSP 60°  
45° BSP Swivel female 60° cone  
Femmina a 45° BSP sede 60°

DN	ROSCA THREAD	REFERENCIA PART N°	
3/16"	1/8" BSP	241080203	
1/4"	1/8" BSP	241080204	
3/16"	1/4" BSP	241080403	
1/4"	1/4" BSP	241080404	
1/4"	3/8" BSP	241080604	
5/16"	3/8" BSP	241080605	
3/8"	3/8" BSP	241080606	
3/8"	1/2" BSP	241080806	
1/2"	1/2" BSP	241080808	
1/2"	5/8" BSP	241081008	
5/8"	5/8" BSP	241081010	
5/8"	3/4" BSP	241081210	
3/4"	3/4" BSP	241081212	
3/4"	1" BSP	241081612	
1"	1" BSP	241081616	

### Hembras giratorias 45° BSP cono 60° con junta tórica



Coude 45° femelle tournante gaz cyl BSP 60° + o'ring  
45° BSP Swivel female 60° cone with o'ring  
Femmina a 45° BSP sede 60° con o'ring

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	1/4" BSP	241180404	
3/8"	3/8" BSP	241180606	
1/2"	1/2" BSP	241180808	
5/8"	5/8" BSP	241181010	
5/8"	3/4" BSP	241181210	
3/4"	3/4" BSP	241181212	
1"	1" BSP	241181616	
1"	1"1/4 BSP	241182016	
1"1/4	1"1/4 BSP	241182020	
1"1/2	1"1/2 BSP	241182424	
1"1/2	2" BSP	241183224	
2"	2" BSP	241183232	


# Conexiones Standard CrIII



**HYNESUR**  
SUMINISTROS DE HIDRÁULICA Y PNEUMÁTICA DEL SUR, S.L.

Embouts série Standard CrIII  
Standard serie fittings CrIII  
Raccordi serie Standard CrIII


## Macho rosca cilíndrica BSP cono 60°



Mâle fixe gaz cyl BSP 60°  
BSP Male parallel 60° cone  
Maschio BSP cilindrico sede 60°

DN	ROSCA THREAD	REFERENCIA PART N°	
3/16"	1/8" BSP	241120203	
1/4"	1/8" BSP	241120204	
1/8"	1/4" BSP	241120402	
3/16"	1/4" BSP	241120403	
1/4"	1/4" BSP	241120404	
3/8"	1/4" BSP	241120406	
1/4"	3/8" BSP	241120604	
5/16"	3/8" BSP	241120605	
3/8"	3/8" BSP	241120606	
1/2"	3/8" BSP	241120608	
1/4"	1/2" BSP	241120804	
3/8"	1/2" BSP	241120806	
1/2"	1/2" BSP	241120808	
1/2"	5/8" BSP	241121008	
5/8"	5/8" BSP	241121010	
1/2"	3/4" BSP	241121208	
5/8"	3/4" BSP	241121210	
3/4"	3/4" BSP	241121212	
3/4"	1" BSP	241121612	
1"	1" BSP	241121616	
1"	1"1/4 BSP	241122016	
1"1/4"	1"1/4 BSP	241122020	
1"1/2"	1"1/2 BSP	241122424	
2"	2" BSP	241123232	


## Macho rosca cónica BSPT



Mâle fixe gaz conique BSPT  
BSPT Male tapered  
Maschio BSPT conico

DN	ROSCA THREAD	REFERENCIA PART N°	
3/16"	1/8" BSPT	241140203	
1/4"	1/8" BSPT	241140204	
1/4"	1/4" BSPT	241140404	
1/4"	3/8" BSPT	241140604	
5/16"	3/8" BSPT	241140605	
3/8"	3/8" BSPT	241140606	
3/8"	1/2" BSP	241140806	
1/2"	1/2" BSP	241140808	
5/8"	3/4" BSPT	241141210	
3/4"	3/4" BSPT	241141212	
3/4"	1" BSPT	241141612	
1"	1" BSPT	241141616	
1"	1"1/4 BSPT	241142016	
1" 1/4"	1"1/4 BSPT	241142020	
1" 1/2"	1" 1/2 BSPT	241142424	
2"	2" BSPT	241143232	

## Macho rosca cilíndrica BSP asiento plano



Mâle fixe gaz cyl fond plat  
BSP Male flat seat  
Maschio BSP cilindrico sede piana

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	1/4" BSP	242120404	
3/8"	3/8" BSP	242120606	
3/8"	1/2" BSP	242120806	
1/2"	1/2" BSP	242120808	
3/4"	3/4" BSP	242121212	
1"	1" BSP	242121616	

## Macho rosca cónica NPT



Mâle fixe gaz conique NPT  
NPT Male thread  
Maschio NPT conico


DN	ROSCA THREAD	REFERENCIA PART N°	
3/16"	1/8" NPT	241610203	
1/4"	1/8" NPT	241610204	
3/16"	1/4" NPT	241610403	
1/4"	1/4" NPT	241610404	
5/16"	1/4" NPT	241610405	
3/8"	1/4" NPT	241610406	
1/4"	3/8" NPT	241610604	
5/16"	3/8" NPT	241610605	
3/8"	3/8" NPT	241610606	
1/2"	3/8" NPT	241610608	
3/8"	1/2" NPT	241610806	
1/2"	1/2" NPT	241610808	
5/8"	1/2" NPT	241610810	
1/2"	3/4" NPT	241611208	
5/8"	3/4" NPT	241611210	
3/4"	3/4" NPT	241611212	
1"	3/4" NPT	241611216	
3/4"	1" NPT	241611612	
1"	1" NPT	241611616	
1"	1"1/4 NPT	241612016	
1"1/4"	1"1/4 NPT	241612020	
1"1/4"	1"1/2 NPT	241612420	
1"1/2"	1"1/2 NPT	241612424	
1"1/2"	1"1/2 NPT	241613224	
2"	2" NPT	241613232	

## Conexiones Standard CrIII



Embouts série Standard CrIII  
Standard serie fittings CrIII  
Raccordi serie Standard CrIII


### Orientable BSP



Embout Banjo droit gaz  
Banjo BSP  
Raccordo ad occhio BSP

DN	Ø	REFERENCIA PART N°	
3/16"	1/4" BSP	241110403	
1/4"	1/4" BSP	241110404	
5/16"	1/4" BSP	241110405	
3/8"	1/4" BSP	241110406	
1/4"	3/8" BSP	241110604	
5/16"	3/8" BSP	241110605	
3/8"	3/8" BSP	241110606	
1/2"	3/8" BSP	241110608	
3/8"	1/2" BSP	241110806	
1/2"	1/2" BSP	241110808	
5/8"	5/8" BSP	241111010	
1/2"	3/4" BSP	241111208	
5/8"	3/4" BSP	241111210	
3/4"	3/4" BSP	241111212	
1"	1" BSP	241111616	

### Tornillo orientable simple BSP



Vis creuse simple pour banjo filetage gaz BSP  
BSP bolt for Banjo  
Bullone forato BSP

ROSCA THREAD	REFERENCIA PART N°	
1/8" BSP	A109002	
1/4" BSP	A109004	
3/8" BSP	A109006	
1/2" BSP	A109008	
3/4" BSP	A109012	
1" BSP	A109016	
1"1/4 BSP	A109020	
1"1/2 BSP	A109024	


### Hembras giratorias rectas JIC 37°



Femelle tournante droite JIC cône 37°  
JIC Swivel female 37° cone  
Femmina diritta JIC 37°

DN	ROSCA THREAD	REFERENCIA PART N°	
3/16"	7/16" 20h UNF	241420703	
1/4"	7/16" 20h UNF	241420704	
1/4"	1/2" 20h UNF	241420804	
5/16"	1/2" 20h UNF	241420805	
1/4"	9/16" 18h UNF	241420904	
5/16"	9/16" 18h UNF	241420905	
3/8"	9/16" 18h UNF	241420906	
3/8"	5/8" 18h UNF	241421006	
5/16"	3/4" 16h UNF	241421205	
3/8"	3/4" 16h UNF	241421206	
1/2"	3/4" 16h UNF	241421208	
3/8"	7/8" 14h UNF	241421406	
1/2"	7/8" 14h UNF	241421408	
5/8"	7/8" 14h UNF	241421410	
1/2"	1"1/16 12h UNF	241421708	
5/8"	1"1/16 12h UNF	241421710	
3/4"	1"1/16 12h UNF	241421712	
1"	1"1/16 12h UNF	241421716	
3/4"	1"5/16 12h UNF	241422112	
1"	1"5/16 12h UNF	241422116	
1"	1"5/8 12h UNF	241422616	
1"1/4	1"5/8 12h UNF	241422620	
1"1/4	1"7/8 12h UNF	241423020	
1"1/2	1"7/8 12h UNF	241423024	
2"	2"1/2 12h UNF	241424032	

### Hembras giratorias rectas JIC 37° doble hexagono



Femelle JIC 37° double hexagonal  
JIC swivel female 37° cone double hex.  
Femmina diritta JIC 37° doppio esagono

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	7/16" 20h UNF	242420704	
1/4"	1/2" 20h UNF	242420804	
5/16"	9/16" 18h UNF	242420905	
3/8"	9/16" 18h UNF	242420906	
3/8"	3/4" 16h UNF	242421206	
1/2"	3/4" 16h UNF	242421208	
1/2"	7/8" 14h UNF	242421408	
3/4"	1"1/16 12h UN	242421712	
1"	1"5/16 12h UN	242422116	
1"1/4	1"5/8 12h UN	242422620	
1"1/2	1"7/8 12h UN	242423024	
2"	2"1/2 12h UN	242424032	

# Conexiones Standard CrIII



**HYNESUR**  
SUMINISTROS DE HIDRÁULICA Y PNEUMÁTICA DEL SUR, S.L.

Embouts série Standard CrIII  
Standard serie fittings CrIII  
Raccordi serie Standard CrIII


## Hembras giratorias 90° JIC 37°



Coude 90° femelle tournante cône JIC 37°  
90° JIC Swivel female 37° cone  
Femmina a 90° JIC 37°

DN	ROSCA THREAD	REFERENCIA PART N°	
3/16"	7/16" 20h UNF	241380703	
1/4"	7/16" 20h UNF	241380704	
1/4"	1/2" 20h UNF	241380804	
1/4"	9/16" 18h UNF	241380904	
5/16"	9/16" 18h UNF	241380905	
3/8"	9/16" 18h UNF	241380906	
3/8"	5/8" 18h UNF	241381006	
3/8"	3/4" 16h UNF	241381206	
1/2"	3/4" 16h UNF	241381208	
3/8"	7/8" 14h UNF	241381406	
1/2"	7/8" 14h UNF	241381408	
5/8"	7/8" 14h UNF	241381410	
1/2"	1"1/16 12h UNF	241381708	
5/8"	1"1/16 12h UNF	241381710	
3/4"	1"1/16 12h UNF	241381712	
3/4"	1"5/16 12h UNF	241382112	
1"	1"5/16 12h UNF	241382116	
1"	1"5/8 12h UNF	241382616	
1"1/4	1"5/8 12h UNF	241382620	
1"1/4	1"7/8 12h UNF	241383020	
1"1/2	1"7/8 12h UNF	241383024	
2"	2"1/2 12h UNF	241384032	


## Hembras giratorias 45° JIC 37°



Coude 45° femelle tournante cône JIC 37°  
45° JIC swivel female 37° cone  
Femmina a 45° JIC 37°

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	7/16" 20h UNF	241390704	
1/4"	1/2" 20h UNF	241390804	
1/4"	9/16" 18h UNF	241390904	
5/16"	9/16" 18h UNF	241390905	
3/8"	9/16" 18h UNF	241390906	
3/8"	3/4" 16h UNF	241391206	
1/2"	3/4" 16h UNF	241391208	
1/2"	7/8" 14h UNF	241391408	
5/8"	7/8" 14h UNF	241391410	
1/2"	1"1/16 12h UNF	241391708	
5/8"	1"1/16 12h UNF	241391710	
3/4"	1"1/16 12h UNF	241391712	
3/4"	1"5/16 12h UNF	241392112	
1"	1"5/16 12h UNF	241392116	
1"	1"5/8 12h UNF	241392616	
1"1/4	1"5/8 12h UNF	241392620	
1"1/4	1"7/8 12h UNF	241393020	
1"1/2	1"7/8 12h UNF	241393024	
2"	2"1/2 12h UNF	241394032	

## Macho JIC 37°



Mâle fixe JIC cône 37°  
Male JIC 37° cone  
Maschio JIC 37°


DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	7/16" 20h UNF	241400704	
1/4"	1/2" 20h UNF	241400804	
5/16"	1/2" 20h UNF	241400805	
1/4"	9/16" 18h UNF	241400904	
5/16"	9/16" 18h UNF	241400905	
3/8"	9/16" 18h UNF	241400906	
3/8"	3/4" 16h UNF	241401206	
1/2"	3/4" 16h UNF	241401208	
3/8"	7/8" 14h UNF	241401406	
1/2"	7/8" 14h UNF	241401408	
5/8"	7/8" 14h UNF	241401410	
1/2"	1"1/16 12h UNF	241401708	
5/8"	1"1/16 12h UNF	241401710	
3/4"	1"1/16 12h UNF	241401712	
3/4"	1"5/16 12h UNF	241402112	
1"	1"5/16 12h UNF	241402116	
1"	1"5/8 12h UNF	241402616	
1"1/4	1"5/8 12h UNF	241402620	
1"1/4	1"7/8 12h UNF	241403020	
1"1/2	1"7/8 12h UNF	241403024	
2"	2"1/2 12h UNF	241404032	

# Conexiones Standard CrIII



Embouts série Standard CrIII  
Standard serie fittings CrIII  
Raccordi serie Standard CrIII


## Hembras giratorias Métricas cono 24° con junta tórica



Femelle tournante droite Métrique cône 24° + o'ring  
Metric swivel female 24° cone with o'ring  
Femmina Metrica sede 24° con o'ring

DN	TUBO PIPE	SERIE	ROSCA THREAD	REFERENCIA PART N°
3/16"	6	L	12X1,5	24804120603
1/4"	6	L	12X1,5	24804120604
1/4"	8	L	14X1,5	24804140804
1/4"	10	L	16X1,5	24804161004
5/16"	10	L	16X1,5	24804161005
3/8"	10	L	16X1,5	24804161006
1/4"	12	L	18X1,5	24804181204
5/16"	12	L	18X1,5	24804181205
3/8"	12	L	18X1,5	24804181206
3/8"	15	L	22X1,5	24804221506
1/2"	15	L	22X1,5	24804221508
1/2"	18	L	26X1,5	24804261808
5/8"	18	L	26X1,5	24804261810
3/4"	22	L	30X2	24804302212
1"	28	L	36X2	24804362816
1 1/4"	35	L	45X2	24804453520
1 1/2"	42	L	52X2	24804524224
3/16"	8	S	16X1,5	24804160803
1/4"	8	S	16X1,5	24804160804
1/4"	10	S	18X1,5	24804181004
5/16"	12	S	20X1,5	24804201205
3/8"	12	S	20X1,5	24804201206
1/2"	12	S	20X1,5	24804201208
3/8"	14	S	22X1,5	24804221406
1/2"	16	S	24X1,5	24804241608
5/8"	20	S	30X2	24804302010
3/4"	20	S	30X2	24804302012
3/4"	25	S	36X2	24804362512
1"	25	S	36X2	24804362516
1"	30	S	42X2	24804423016
1 1/4"	38	S	52X2	24804523820


## Hembras giratorias 90° Métricas cono 24° con junta tórica



Coude 90° femelle tournante Métrique cône 24° + o'ring  
90° Metric swivel female 24° cone with o'ring  
Femmina Metrica a 90° sede 24° con o'ring

DN	TUBO PIPE	SERIE	ROSCA THREAD	REFERENCIA PART N°
3/16"	6	L	12x1,5	24305120603
1/4"	6	L	12x1,5	24305120604
1/4"	8	L	14x1,5	24305140804
1/4"	10	L	16x1,5	24305161004
5/16"	10	L	16x1,5	24305161005
3/8"	10	L	16x1,5	24305161006
5/16"	12	L	18x1,5	24305181205
3/8"	12	L	18x1,5	24305181206
3/8"	15	L	22x1,5	24305221506
1/2"	15	L	22x1,5	24305221508
5/8"	18	L	26x1,5	24305261810
3/4"	22	L	30x2	24305302212
1"	28	L	36x2	24305362816
1 1/4"	35	L	45x2	24305453520
1 1/2"	42	L	52x2	24305524224
1/4"	8	S	16x1,5	24305160804
1/4"	10	S	18x1,5	24305181004
5/16"	10	S	18x1,5	24305181005
5/16"	12	S	20x1,5	24305201205
3/8"	12	S	20x1,5	24305201206
3/8"	14	S	22x1,5	24305221406
1/2"	16	S	24x1,5	24305241608
5/8"	20	S	30x2	24305302010
3/4"	20	S	30x2	24305302012
3/4"	25	S	36x2	24305362512
1"	25	S	36x2	24305362516
1"	30	S	42x2	24305423016
1 1/4"	38	S	52x2	24305523820


## Orientable Métrico Recto



Banjo droit Métrique  
Metric Banjo - Straight  
Raccordo ad occhio Metrico

DN	Ø	REFERENCIA PART N°
3/16"	M10x1	241161003
1/4"	M10x1	241161004
1/8"	M12x1	241161202
3/16"	M12x1.5	241161203
1/4"	M12x1.5	241161204
1/4"	M14x1.5	241161404
5/16"	M14x1.5	241161405
3/8"	M14x1.5	241161406
5/16"	M16x1.5	241161605
3/8"	M16x1.5	241161606
3/8"	M18x1.5	241161806
1/2"	M18x1.5	241161808
1/2"	M22x1.5	241162208
5/8"	M22x1.5	241162210
5/8"	M26x1.5	241162610
3/4"	M30x2	241163012

## Tornillo orientable simple rosca Métrica



Vis creuse simple pour banjo filetage métrique  
Metric bolt for Banjo  
Bullone forato Metrico

ROSCA THREAD	REFERENCIA PART N°
M8x1	S109208
M10x1	S109210
M12x1.5	S109212
M14x1.5	S109214
M16x1.5	S109216
M18x1.5	S109218
M22x1.5	S109222
M26x1.5	S109226
M30x1.5	S109230


## Conexiones Standard CrIII



**HYNESUR**  
SUMINISTROS DE HIDRÁULICA Y NEUMÁTICA DEL SUR, S.L.

Embouts série Standard CrIII  
Standard serie fittings CrIII  
Raccordi serie Standard CrIII

### Hembras giratorias 45° Métricas cono 24° con junta tórica



Coude 45° femelle tournante Métrique cône 24° + o'ring  
45° Metric swivel female 24° cone with o'ring  
Femmina Metrica a 45° sede 24° con o'ring

DN	TUBO PIPE	SERIE	ROSCA THREAD	REFERENCIA PART N°
1/4"	6	L	12x1,5	24306120604
1/4"	8	L	14x1,5	24306140804
1/4"	10	L	16x1,5	24306161004
5/16"	10	L	16x1,5	24306161005
3/8"	10	L	16x1,5	24306161006
5/16"	12	L	18x1,5	24306181205
3/8"	12	L	18x1,5	24306181206
1/2"	15	L	22x1,5	24306221508
5/8"	18	L	26x1,5	24306261810
3/4"	22	L	30x2	24306302212
1"	28	L	36x2	24306362816
1"1/4	35	L	45x2	24306453520
1"1/2	42	L	52x2	24306524224
1/4"	8	S	16x1,5	24306160804
1/4"	10	S	18x1,5	24306181004
5/16"	12	S	20x1,5	24306201205
3/8"	12	S	20x1,5	24306201206
3/8"	14	S	22x1,5	24306221406
1/2"	16	S	24x1,5	24306241608
5/8"	20	S	30x2	24306302010
3/4"	20	S	30x2	24306302012
3/4"	25	S	36x2	24306362512
1"	25	S	36x2	24306362516
1"	30	S	42x2	24306423016
1"1/4	38	S	52x2	24306523820


### Espigas de prensar dobles



Embout double jonction  
Double crimp standpipe  
Giunzione tubo-tubo

DN	REFERENCIA PART N°
1/4"	243000404
5/16"	243000505
3/8"	243000606
1/2"	243000808
3/4"	243001212
1"	243001616


### Machos fijos Métricos cono 24°



Mâle fixe Métrique cône 24°  
Male stud Metric thread 24° cone  
Maschio Metrico sede 24°

DN	TUBO PIPE	SERIE	ROSCA THREAD	REFERENCIA PART N°
3/16"	6	L	12x1,5	24203120603
1/4"	6	L	12x1,5	24203120604
1/4"	8	L	14x1,5	24203140804
1/4"	10	L	16x1,5	24203161004
5/16"	10	L	16x1,5	24203161005
3/8"	10	L	16x1,5	24203161006
1/4"	12	L	18x1,5	24203181204
5/16"	12	L	18x1,5	24203181205
3/8"	12	L	18x1,5	24203181206
3/8"	15	L	22x1,5	24203221506
1/2"	15	L	22x1,5	24203221508
1/2"	18	L	26x1,5	24203261808
5/8"	18	L	26x1,5	24203261810
3/4"	22	L	30x2	24203302212
1"	28	L	36x2	24203362816
1"1/4	35	L	45x2	24203453520
1"1/2	42	L	52x2	24203524224
1/4"	8	S	16x1,5	24203160804
1/4"	10	S	18x1,5	24203181004
5/16"	10	S	18x1,5	24203181005
3/8"	10	S	18x1,5	24203181006
5/16"	12	S	20x1,5	24203201205
3/8"	12	S	20x1,5	24203201206
3/8"	14	S	22x1,5	24203221406
1/2"	16	S	24x1,5	24203241608
5/8"	20	S	30x2	24203302010
3/4"	20	S	30x2	24203302012
3/4"	25	S	36x2	24203362512
1"	25	S	36x2	24203362516
1"	30	S	42x2	24203423016
1"1/4	38	S	52x2	24203523820

### Machos Stecko



Mâle fixe Stecko  
Stecko male connections  
Maschio Stecko


DN	STECKO	REFERENCIA PART N°
1/4"	1/4"	241900404
3/8"	3/8"	241900606
1/2"	1/2"	241900808
3/4"	3/4"	241901212



# Conexiones Standard CrIII

Embouts série Standard CrIII  
 Standard serie fittings CrIII  
 Raccordi serie Standard CrIII

## Espiga lisa recta Métrica



Embout lisse droit Métrique  
 Metric standpipe  
 Estremitá tubolare diritta Metrica

DN	TUBO PIPE	REFERENCIA PART N°	
1/8"	6	241580602 L	
3/16"	6	241580603 L	
1/4"	6	241580604 L	
3/16"	8	241580803 L	
1/4"	8	241580804 L	
5/16"	8	241580805 L	
5/16"	10	241581005 L	
3/8"	10	241581006 L	
3/8"	12	241581206 L	
1/2"	12	241581208 L	
3/8"	15	241581506 L	
1/2"	15	241581508 L	
1/2"	18	241581808 L	
5/8"	18	241581810 L	
3/4"	22	241582212 L	
1"	28	241582816 L	
1"1/4	35	241583520 L	
1"1/2	42	241584224 L	
1/4"	10	241581004 S	
1/4"	12	241581204 S	
5/16"	12	241581205 S	
1/2"	14	241581408 S	
1/2"	16	241581608 S	
5/8"	20	241582010 S	
3/4"	20	241582012 S	
3/4"	25	241582512 S	
1"	25	241582516 S	
1"	30	241583016 S	

## Espiga lisa a 90° Métrica



Embout lisse coude 90° Métrique  
 90° Metric standpipe  
 Estremitá tubolare a 90° Metrica

DN	TUBO PIPE	REFERENCIA PART N°	
1/8"	6	242580602 L	
3/16"	6	242580603 L	
1/4"	6	242580604 L	
3/16"	8	242580803 L	
3/8"	10	242581006 L	
1/4"	12	242581204 L	
3/8"	12	242581206 L	
1/2"	15	242581508 L	
1/2"	18	242581808 L	
5/8"	18	242581810 L	
3/4"	22	242582212 L	
1"	28	242582816 L	
1"1/4	35	242583520 L	
1/4"	10	242581004 S	
1/2"	14	242581408 S	
5/8"	20	242582010 S	
3/4"	20	242582012 S	

## Espiga lisa a 45° Métrica



Embout lisse coude 45° Métrique  
 45° Metric standpipe  
 Estremitá tubolare a 45° Metrica

DN	TUBO PIPE	REFERENCIA PART N°	
3/16"	6	243580603 L	
1/4"	8	243580804 L	
3/8"	10	243581006 L	
3/8"	12	243581206 L	
1/2"	15	243581508 L	
5/8"	18	243581810 L	
3/8"	14	243581406 S	
3/4"	20	243582012 S	
3/4"	25	243582512 S	


## Hembras giratorias Métricas cono 24°/60°



Femelle tournante Métrique cône 24°-60°  
 Female metric swivel 24°/60° cone  
 Femmina Metrica Girevole Multiseal 24°/60°

DN	TUBO PIPE	ROSCA THREAD	REFERENCIA PART N°	
1/4"	8L	M14X1.5	244049511	
1/4"	10L	M16X1.5	244049520	
5/16"	10L	M16X1.5	244049523	
3/8"	10L	M16X1.5	244049524	
5/16"	12L	M18X1.5	244049525	
3/8"	12L	M18X1.5	244049535	
3/8"	15L	M22X1.5	244049552	
1/2"	15L	M22X1.5	244049555	
5/8"	18L	M26X1.5	244049571	

## Hembras giratorias 90° Métricas cono 24°/60°



Femelle tournante coude 90° Métrique cône 24°-60°  
 90° female metric swivel 24°/60° cone  
 Femmina Metrica Girevole a 90° Multiseal 24°/60°

DN	TUBO PIPE	ROSCA THREAD	REFERENCIA PART N°	
1/4"	8L	M14X1.5	244059511	
1/4"	10L	M16X1.5	244059520	
5/16"	10L	M16X1.5	244059523	
3/8"	10L	M16X1.5	244059524	
5/16"	12L	M18X1.5	244059525	
3/8"	12L	M18X1.5	244059535	
3/8"	15L	M22X1.5	244059552	
1/2"	15L	M22X1.5	244059555	
5/8"	18L	M26X1.5	244059571	

## Conexiones Standard CrIII

Embouts série Standard CrIII  
Standard serie fittings CrIII  
Raccordi serie Standard CrIII



**HYNESUR**  
SUMINISTROS DE HIDRÁULICA Y NEUMÁTICA DEL SUR, S.L.


### Hembras giratorias 45° Métricas cono 24°/60°



Femelle tournante coude 45° Métrique cône 24°-60°  
45° female metric swivel 24°/60° cone  
Femmina Metrica Girevole a 45° Multiseal 24°/60°

DN	TUBO PIPE	ROSCA THREAD	REFERENCIA PART N°
1/4"	8L	M14X1.5	244069511
5/16"	10L	M16X1.5	244069523
3/8"	10L	M16X1.5	244069524
5/16"	12L	M18X1.5	244069525
3/8"	12L	M18X1.5	244069535
1/2"	15L	M22X1.5	244069555
5/8"	18L	M26X1.5	244069571


### Hembras giratorias rectas Komatsu cono 60°



Femelle tournante droite Komatsu Métrique (cône 60°)  
Komatsu swivel female 60° cone  
Femmina Komatsu sede 60°

DN	ROSCA THREAD	REFERENCIA PART N°
1/4"	M14X1.5	258049625
3/8"	M18X1.5	258049635
1/2"	M22X1.5	258049655
5/8"	M24X1.5	258049665
3/4"	M30X1.5	258049684
1"	M33X1.5	258049685


### Macho Métrico cono 24° serie francesa



Mâle fixe Série Française Métrique 24°  
Metric stud 24° cone French Series  
Maschio Metrico sede 24°

DN	TUBO PIPE	ROSCA THREAD	REFERENCIA PART N°
1/4"	13.2	M20X1.5	245032013204
5/16"	13.2	M20X1.5	245032013205
3/8"	13.2	M20X1.5	245032013206
5/16"	16.7	M24X1.5	245032416705
3/8"	16.7	M24X1.5	245032416706
1/2"	16.7	M24X1.5	245032416708
5/8"	21.2	M30X1.5	245033021210
3/4"	21.2	M30X1.5	245033021212
3/4"	26.7	M36X1.5	245033626712
1"	33.5	M45X1.5	245034533516


### Hembra giratoria recta Métrica cono 24° serie francesa



Femelle tournante Série Française Métrique 24°  
Metric swivel female 24° cone French Series  
Femmina Metrica sede 24°

DN	TUBO PIPE	ROSCA THREAD	REFERENCIA PART N°
1/4"	13.2	M20X1.5	245042013204
5/16"	13.2	M20X1.5	245042013205
3/8"	13.2	M20X1.5	245042013206
5/16"	16.7	M24X1.5	245042416705
3/8"	16.7	M24X1.5	245042416706
1/2"	16.7	M24X1.5	245042416708
5/8"	21.2	M30X1.5	245043021210
3/4"	26.7	M36X1.5	245043626712
1"	33.5	M45X1.5	245044533516


### Macho Métrico válvula agrícola



Mâle fixe Métrique pour valve agricole  
Metric stud for agricultural valve  
Maschio Metrico per valvola agricola

DN	ROSCA THREAD	REFERENCIA PART N°
1/4"	M18X1.5	245051804
5/16"	M18X1.5	245051805
3/8"	M18X1.5	245051806

### Hembra giratoria 90° Métrica cono 24° serie francesa



Femelle tournante coude 90° Série Française Métrique 24°  
90° Metric swivel female 24° cone French Series  
Femmina Metrica a 90° sede 24°

DN	TUBO PIPE	ROSCA THREAD	REFERENCIA PART N°
5/16"	13.2	M20X1.5	245052013205
3/8"	13.2	M20X1.5	245052013206
1/2"	16.7	M24X1.5	245052416708
5/8"	21.2	M30X1.5	245053021210
3/4"	26.7	M36X1.5	245053626712




## Conexiones Standard CrIII



**HYNESUR**  
SUMINISTROS DE HIDRÁULICA Y NEUMÁTICA DEL SUR, S.L.

Embouts série Standard CrIII  
Standard serie fittings CrIII  
Raccordi serie Standard CrIII

### Hembra giratoria recta ORFS asiento plano



Femelle tournante série Caterpillar-ORFS fond plat  
ORFS Swivel female straight flat seat  
Femmina diritta sede piana ORFS

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	9/16" 18h UNF	449000404	
1/4"	11/16" 16h UNF	449000604	
5/16"	11/16" 16h UNF	449000605	
3/8"	11/16" 16h UNF	449000606	
3/8"	13/16" 16h UNF	449000806	
1/2"	13/16" 16h UNF	449000808	
1/2"	1" 14h UNF	449001008	
5/8"	1" 14h UNF	449001010	
1/2"	1" 3/16 12h UNF	449001208	
3/4"	1" 3/16 12h UNF	449001212	
3/4"	1" 7/16 12h UNF	449001612	
1"	1" 7/16 12h UNF	449001616	
1"1/4	1" 11/16 12h UNF	449002020	
1"1/2	2" 12h UNF	449002424	


### Hembra giratoria 90° ORFS asiento plano



Femelle tournante coude 90° série Caterpillar-ORFS fond plat  
90° ORFS Swivel female flat seat  
Femmina a 90° sede piana ORFS

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	9/16" 18h UNF	449070404	
1/4"	11/16" 16h UNF	449070604	
5/16"	11/16" 16h UNF	449070605	
3/8"	11/16" 16h UNF	449070606	
3/8"	13/16" 16h UNF	449070806	
1/2"	13/16" 16h UNF	449070808	
1/2"	1-14h UNF	449071008	
5/8"	1" 14h UNF	449071010	
1/2"	1" 3/16-12h UNF	449071208	
3/4"	1" 3/16 12h UNF	449071212	
3/4"	1" 7/16 12h UNF	449071612	
1"	1" 7/16 12h UNF	449071616	
1"1/4	1" 11/16 12h UNF	449072020	
1"1/2	2" 12h UNF	449072424	


### Machos ORFS asiento plano con junta tórica



Mâle fixe série Caterpillar-ORFS fond plat + o'ring  
ORFS Male flat seat + o'ring  
Maschio ORFS sede piana con o'ring

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	9/16" 18h UNF	449120404	
1/4"	11/16" 16h UNF	449120604	
5/16"	11/16" 16h UNF	449120605	
3/8"	11/16" 16h UNF	449120606	
3/8"	13/16" 16h UNF	449120806	
1/2"	13/16" 16h UNF	449120808	
1/2"	1" 14h UNF	449121008	
5/8"	1" 14h UNF	449121010	
1/2"	1" 3/16 12h UNF	449121208	
3/4"	1" 3/16 12h UNF	449121212	
3/4"	1" 7/16 12h UNF	449121612	
1"	1" 7/16 12h UNF	449121616	
1"1/4	1" 11/16-12h UNF	449122020	

### Hembra giratoria 45° ORFS asiento plano



Femelle tournante coude 45° série Caterpillar-ORFS fond plat  
45° ORFS Swivel female  
Femmina a 45° sede piana ORFS

DN	ROSCA THREAD	REFERENCIA PART N°	
1/4"	11/16" 16h UNF	449080604	
5/16"	11/16" 16h UNF	449080605	
1/2"	1" 3/16 12h UNF	449081208	
3/4"	1" 7/16 12h UNF	449081612	
1/4"	9/16" 18h UNF	449080404	
3/8"	11/16" 16h UNF	449080606	
3/8"	13/16" 16h UNF	449080806	
1/2"	13/16" 16h UNF	449080808	
1/2"	1" - 14h UNF	449081008	
5/8"	1" 14h UNF	449081010	
3/4"	1" 3/16 12h UNF	449081212	
1"	1" 7/16 12h UNF	449081616	
1"1/4	1" 11/16 12h UNF	449082020	
1"1/2	2" 12h UNF	449082424	

### Juntas tóricas para ORFS



O' rings pour ORFS  
O' rings for ORFS  
O' rings per raccordi ORFS

Ø in	REFERENCIA PART N°	
7,65	7.65X1.78	
9,25	9.25X1.78	
12,42	12.42X1.78	
15,60	15.60X1.78	
18,77	18.77X1.78	
23,52	23.52X1.78	
29,87	29.87X1.78	
37,82	37.82X1.78	


# Conexiones Standard CrIII



**HYNESUR**  
SUMINISTROS DE HIDRÁULICA Y NEUMÁTICA DEL SUR, S.L.

Embouts série Standard CrIII  
Standard serie fittings CrIII  
Raccordi serie Standard CrIII


## Brida recta SAE 3000 PSI



Bride SAE droite série 3000 PSI  
3000 PSI SAE Straight flange  
Flangia diritta SAE 3000 PSI

DN	Ø	REFERENCIA PART N°	
1/2"	30.2	241820808	
1/2"	38.1	241821208	
5/8"	38.1	241821210	
3/4"	38.1	241821212	
3/4"	44.5	241821612	
1"	44.5	241821616	
1"	50.8	241822016	
1"1/4	50.8	241822020	
1"1/4	60.3	241822420	
1"1/2	60.3	241822424	
1"1/2	71.4	241823224	
2"	71.4	241823232	


## Brida recta SAE 6000 PSI



Bride SAE droite série 6000 PSI  
6000 PSI SAE Straight flange  
Flangia diritta SAE 6000 PSI

DN	Ø	REFERENCIA PART N°	
1/2"	31.8	242820808	
1/2"	41.3	242821208	
5/8"	41.3	242821210	
3/4"	41.3	242821212	
3/4"	47.6	242821612	
1"	47.6	242821616	
1"	54	242822016	
1"1/4	54	242822020	
1"1/4	63.5	242822420	
1"1/2	63.5	242822424	
1"1/2	79.4	242823224	
2"	79.4	242823232	


## Brida a 90° SAE 3000 PSI



Bride SAE coude 90° série 3000 PSI  
3000 PSI SAE 90° Flange  
Flangia a 90° SAE 3000 PSI

DN	Ø	REFERENCIA PART N°	
1/2"	30.2	241830808	
1/2"	38.1	241831208	
5/8"	38.1	241831210	
3/4"	38.1	241831212	
3/4"	44.5	241831612	
1"	44.5	241831616	
1"	50.8	241832016	
1"1/4	50.8	241832020	
1"1/4	60.3	241832420	
1"1/2	60.3	241832424	
1"1/2	71.4	241833224	
2"	71.4	241833232	


## Brida a 90° SAE 6000 PSI



Bride SAE coude 90° série 6000 PSI  
6000 PSI SAE 90° Flange  
Flangia a 90° SAE 6000 PSI

DN	Ø	REFERENCIA PART N°	
1/2"	31.8	242830808	
1/2"	41.3	242831208	
5/8"	41.3	242831210	
3/4"	41.3	242831212	
3/4"	47.6	242831612	
1"	47.6	242831616	
1"	54	242832016	
1"1/4	54	242832020	
1"1/4	63.5	242832420	
1"1/2	63.5	242832424	
1"1/2	79.4	242833224	


## Brida a 45° SAE 3000 PSI



Bride SAE coude 45° série 3000 PSI  
3000 PSI SAE 45° Flange  
Flangia a 45° SAE 3000 PSI

DN	Ø	REFERENCIA PART N°	
1/2"	30.2	241840808	
1/2"	38.1	241841208	
5/8"	38.1	241841210	
3/4"	38.1	241841212	
3/4"	44.5	241841612	
1"	44.5	241841616	
1"	50.8	241842016	
1"1/4	50.8	241842020	
1"1/4	60.3	241842420	
1"1/2	60.3	241842424	
1"1/2	71.4	241843224	
2"	71.4	241843232	

## Brida a 45° SAE 6000 PSI



Bride SAE coude 45° série 6000 PSI  
6000 PSI SAE 45° Flange  
Flangia a 45° SAE 6000 PSI

DN	Ø	REFERENCIA PART N°	
1/2"	31.8	242840808	
1/2"	41.3	242841208	
5/8"	41.3	242841210	
3/4"	41.3	242841212	
3/4"	47.6	242841612	
1"	47.6	242841616	
1"	54	242842016	
1"1/4	54	242842020	
1"1/4	63.5	242842420	
1"1/2	63.5	242842424	
1"1/2	79.4	242843224	
2"	79.4	242843232	


## Conexiones Standard CrIII



**HYNESUR**  
SUMINISTROS DE HIDRAULICA Y NEUMÁTICA DEL SUR, S.L.

Embouts série Standard CrIII  
Standard serie fittings CrIII  
Raccordi serie Standard CrIII


### Brida recta 9000 PSI



Bride tournante droite série 9000 PSI  
9000 PSI straight Flange  
Flangia diritta PSI 9000

DN	Ø	REFERENCIA PART N°	
3/4"	41,3	442821212	
3/4"	47,6	442821612	
1"	47,6	442821616	
1"	54	442822016	
1"1/4	54	442822020	
1"1/2	63,5	442822424	


### Brida a 90° 9000 PSI



Bride tournante coude 90° série 9000 PSI  
9000 PSI 90° Flange  
Flangia a 90° PSI 9000

DN	Ø	REFERENCIA PART N°	
3/4"	41,3	442831212	
3/4"	47,6	442831612	
1"	47,6	442831616	
1"	54	442832016	
1"1/4	54	442832020	
1"1/2	63,5	442832424	

### Brida a 45° 9000 PSI



Bride tournante coude 45° série 9000 PSI  
9000 PSI 45° Flange  
Flangia a 45° PSI 9000

DN	Ø	REFERENCIA PART N°	
3/4"	41,3	442841212	
3/4"	47,6	442841612	
1"	47,6	442841616	
1"	54	442842016	
1"1/4	54	442842020	
1"1/2	63,5	442842424	

### Junta tórica para brida SAE



O-rings pour bride série 3000/6000 PSI  
O-rings for 3000/6000 PSI SAE flanges  
O-rings per flangia SAE

Ø in	TAMAÑO SIZE	PACK MIN	REFERENCIA PART N°	
18.64	1/2"	1	18.64X3.53	
24.99	3/4"	1	24.99X3.53	
32.92	1"	1	32.92X3.53	
37.70	1"1/4	1	37.70X3.53	
47.22	1"1/2	1	47.22X3.53	
56.74	2"	1	56.74X3.53	

### Juntas para bridas



Jointes pour bride série 3000/6000  
Seals for 3000/6000 PSI flange  
Guarnizioni per flangia SAE 3000/6000 PSI

Ø ext Ø outer	Ø in	TAMAÑO SIZE	ALTURA (MM) HIGH (MM)	REFERENCIA PART N°	
25.40	17.02	1/2"	2.79	JBR08	
31.72	23.36	3/4"	2.79	JBR12	
39.62	31.24	1"	2.79	JBR16	
44.45	36.07	1"1/4	2.79	JBR20	
53.98	45.34	1"1/2	2.79	JBR24	
63.50	54.86	2"	2.79	JBR32	


## Conexiones Standard CrIII



**HYNESUR**  
SUMINISTROS DE HIDRAULICA Y NEUMÁTICA DEL SUR, S.L.

Embouts série Standard CrIII  
Standard serie fittings CrIII  
Raccordi serie Standard CrIII


### Bridas SAE partidas (semibridas) 3000/6000 PSI



Demi-bridés rectangulaires de fixation SAE 3000/6000 PSI  
3000/6000 PSI SAE Split flanges  
Semiflanguia SAE 3000/6000 PSI

SERIE	TAMAÑO SIZE	REFERENCIA PART N°	
3000 PSI	1/2"	<b>BBP308</b>	
3000 PSI	3/4"	<b>BBP312</b>	
3000 PSI	1"	<b>BBP316</b>	
3000 PSI	1"1/4	<b>BBP320</b>	
3000 PSI	1"1/2	<b>BBP324</b>	
3000 PSI	2"	<b>BBP332</b>	
3000 PSI	2"1/2	<b>BBP340</b>	
3000 PSI	3"	<b>BBP348</b>	
3000 PSI	3"1/2	<b>BBP356</b>	
3000 PSI	4"	<b>BBP364</b>	
6000 PSI	1/2"	<b>BBP608</b>	
6000 PSI	3/4"	<b>BBP612</b>	
6000 PSI	1"	<b>BBP616</b>	
6000 PSI	1"1/4	<b>BBP620</b>	
6000 PSI	1"1/2	<b>BBP624</b>	
6000 PSI	2"	<b>BBP632</b>	

### Bridas SAE enteras (monoblock) 3000/6000 PSI



Bridés monobloc rectangulaires de fixation SAE 3000/6000 PSI  
3000/6000 PSI SAE Flanges  
Flanguia SAE 3000/6000 PSI

SERIE	TAMAÑO SIZE	REFERENCIA PART N°	
3000 PSI	1/2"	<b>BBE308</b>	
3000 PSI	3/4"	<b>BBE312</b>	
3000 PSI	1"	<b>BBE316</b>	
3000 PSI	1"1/4	<b>BBE320</b>	
3000 PSI	1"1/2	<b>BBE324</b>	
3000 PSI	2"	<b>BBE332</b>	
3000 PSI	2"1/2	<b>BBE340</b>	
3000 PSI	3"	<b>BBE348</b>	
3000 PSI	3"1/2	<b>BBE356</b>	
3000 PSI	4"	<b>BBE364</b>	
3000 PSI	5"	<b>BBE380</b>	
6000 PSI	1/2"	<b>BBE608</b>	
6000 PSI	3/4"	<b>BBE612</b>	
6000 PSI	1"	<b>BBE616</b>	
6000 PSI	1"1/4	<b>BBE620</b>	
6000 PSI	1"1/2	<b>BBE624</b>	
6000 PSI	2"	<b>BBE632</b>	


# Conexiones Standard CrIII



**HYNESUR**  
SUMINISTROS DE HIDRÁULICA Y NEUMÁTICA DEL SUR, S.L.

Embouts série Standard CrIII  
Standard serie fittings CrIII  
Raccordi serie Standard CrIII


## Espiga para brida macho Poclair



Embout bride mâle Poclair  
Poclair male flange  
Inserto per flangia maschio Poclair

DN	Ø	REFERENCIA PART N°
5/8"	5/8"	448011010
3/4"	3/4"	448011212
1"	1"	448011616


## Espiga a 90° brida macho Poclair



Embout bride coude 90° macho Poclair  
90° Poclair female flange standpipe  
Inserto per flangia a 90° Poclair

DN	Ø	REFERENCIA PART N°
1/2"	1/2"	448030808
1"1/4	1"1/4	448032020

## Espiga para brida hembra Poclair



Embout bride femelle Poclair  
Poclair female flange  
Inserto per flangia femmina Poclair

DN	Ø	REFERENCIA PART N°
3/4"	3/4"	448021212

Low pressure


## Brida entera macho Poclair 4 agujeros



Bride rectangulaire de fixation mâle Poclair-4 trous  
Male Poclair flange 4 holes  
Flangia intera maschio Poclair 4 fori

TAMAÑO SIZE	REFERENCIA PART N°
1/2"	448050808*
3/4"	448051212
1"	448051616
1"1/4	448052020

## Brida entera hembra Poclair 4 agujeros




Bride rectangulaire de fixation femelle Poclair 4 trous  
Female Poclair flange 4 holes  
Flangia intera femmina Poclair 4 fori

TAMAÑO SIZE	REFERENCIA PART N°
1/2"	448060808*
5/8"	448061010*
3/4"	448061212
1"	448061616
1"1/4	448062020

Air conditioned hoses  
and fittings

## Brida entera macho Poclair 2 agujeros



Bride ovale fixation mâle Poclair 2 trous  
Male Poclair flange 2 holes  
Flangia intera maschio Poclair 2 fori

TUBO PIPE	REFERENCIA PART N°
1/2"	448070808*
5/8"	448071010
3/4"	448071212
1"	448071616
1"1/4	448072020

## Brida entera hembra Poclair 2 agujeros



Bride ovale fixation femelle Poclair 2 trous  
Female Poclair flange 2 holes  
Flangia intera femmina Poclair 2 fori

TUBO PIPE	REFERENCIA PART N°
5/8"	448081010*
3/4"	448081212
1"	448081616
1"1/4	448082020

## Conexiones Standard CrIII

Embouts série Standard CrIII

Standard serie fittings CrIII

Raccordi serie Standard CrIII

### Macho pistola hidrolavadora



Mâle fixe spécial pistolet-hydroneettoyage  
Male terminal steel hydro-wash  
Maschio pistola idropulitrice

DN	REFERENCIA PART N°	
1/4"	230400400	

### Empuñaduras de goma negras



Poignée hydroneettoyage de gomme noire  
Handle with black rubber  
Manopola di gomma nera

DN	REFERENCIA PART N°	
1/4"	230600400	
5/16"	230600500	
3/8"	230600600	


### Empuñaduras de goma grises



Poignée hydroneettoyage de gomme grise  
Handle with grey rubber  
Manopola di gomma grigia

DN	REFERENCIA PART N°	
1/4"	230610400	
5/16"	230610500	
3/8"	230610600	

### Terminal Karcher acero



Embout femelle tournante acier spécial hydroneettoyage  
Swivel female steel hydro-wash  
Femmina in acciaio per idropulitrici

TUBO PIPE	ROSCA THREAD	Descripción Description	REFERENCIA PART N°	
1/4"	M22X1.5	STD	230700400	
5/16"	M22X1.5	STD	230700500	
3/8"	M22X1.5	STD	230700600	
1/4"	M22X1.5	Long	230720400	
5/16"	M22X1.5	Long	230720500	
3/8"	M22X1.5	Long	230720600	

### Empuñaduras de goma azules



Poignée hydroneettoyage de gomme bleue  
Handle with blue rubber  
Manopola di gomma azzurra

DN	REFERENCIA PART N°	
1/4"	230620400	
5/16"	230620500	
3/8"	230620600	

# Conexiones Interlock CrIII



**HYNESUR**  
SUMINISTROS DE HIDRAULICA Y NEUMÁTICA DEL SUR, S.L.

Embouts à sertir Interlock CrIII  
Interlock serie fittings CrIII  
Raccordi serie Interlock CrIII

## Casquillos DIN 20023 4SH




Juqe à sertir DIN 20023 4SH

Ferrules DIN 20023-4SH

Boccola Interlock DIN 20023 4SH

DN	Descripción Description	REFERENCIA PART N°
3/4"	4SH-R13-R15	BA610101200
1"	4SH-R13-R15	BA610101600
1"1/4	4SH	BA610102000

## Hembras giratorias rectas BSP cono 60°




Femelle tournante droite BSP cône 60°

Straight swivel female BSP 60° cone

Femmina girevole diritta BSP sede 60°

DN	ROSCA THREAD	REFERENCIA PART N°
3/4"	3/4" BSP	B641001212
1"	1" BSP	B641001616
1"1/4	1"1/4 BSP	B641002020

## Macho rosca cilíndrica BSP cono 60°




Mâle fixe gaz cyl BSP 60°

BSP Male 60° cone

Maschio cilindrico BSP sede 60°

DN	ROSCA THREAD	REFERENCIA PART N°
3/4"	3/4" BSP	B641121212
1"	1" BSP	B641121616
1"1/4	1"1/4 BSP	B641122020

## Hembras giratorias 90° BSP cono 60°




Femelle tournante coude 90° BSP cône 60°

90° swivel female BSP 60° cone

Femmina girevole a 90° BSP sede 60°

DN	ROSCA THREAD	REFERENCIA PART N°
3/4"	3/4" BSP	B641071212
1"	1" BSP	B641071616
1"1/4	1"1/4 BSP	B641072020

## Hembras giratorias rectas JIC 37°



Femelle tournante JIC 37°

JIC 37° swivel female

Femmina diritta JIC 37°

DN	ROSCA THREAD	REFERENCIA PART N°
3/4"	1"1/16 12h UNF	B641421712
1"	1"5/16 12h UNF	B641422116
1"1/4	1"5/8 12h UNF	B641422620

## Hembras giratorias 90° JIC 37°



Femelle tournante coude 90° JIC 37°

90° JIC 37° swivel female

Femmina a 90° JIC 37°

DN	ROSCA THREAD	REFERENCIA PART N°
3/4"	1"1/16 12h UNF	B641381712
1"	1"5/16 12h UNF	B641382116
1"1/4	1"5/8 12h UNF	B641382620




# Conexiones Interlock CrIII



**HYNESUR**  
SUMINISTROS DE HIDRAULICA Y PNEUMÁTICA DEL SUR, S.L.

Embouts à sertir Interlock CrIII  
Interlock serie fittings CrIII  
Raccordi serie Interlock CrIII

## Hembra giratoria recta métrica cono 24° con junta tórica



Femelle tournante métrique 24° + o´ring  
Metric swivel female 24° seat with o´ring  
Femmina metrica sede 24° con o´ring

DN	TUBO PIPE	SERIE	ROSCA THREAD	REFERENCIA PART N°
3/4"	20	S	M30X2	B64204302012
3/4"	25	S	M36X2	B64204362512
1"	30	S	M42X2	B64204423016
1"1/4	38	S	M52X2	B64204523820


## Hembra giratoria 90° métrica cono 24° con junta tórica



Femelle tournante coude 90° métrique 24° + o´ring  
90° Metric swivel female 24° seat with o´ring  
Femmina a 90° Metrica sede 24° con o´ring

DN	TUBO PIPE	SERIE	ROSCA THREAD	REFERENCIA PART N°
3/4"	20	S	M30X2	B64205302012
3/4"	25	S	M36X2	B64205362512
1"	30	S	M42X2	B64205423016
1"1/4	38	S	M52X2	B64205523820


## Racores para martillo



Embouts pour marteau  
Fittings for hammer  
Raccordi per martello

DN	TUBO PIPE	SERIE	ROSCA THREAD	REFERENCIA PART N°
3/4"	25	S	M36X2	NAM362512
1"	30	S	M42X2	NAM423016
1"1/4	38	S	M52X2	NAM523820


## Brida SAE 3000 PSI



Bride SAE droite série 3000 PSI  
3000 PSI SAE straight flange  
Flangia SAE 3000 PSI

DN	Ø	REFERENCIA PART N°
3/4"	38.1	B641821212
1"	44.5	B641821616
1"1/4	50.8	B641822020


## Brida 90° SAE 3000 PSI



Bride SAE coude 90° série 3000 PSI  
90° 3000 PSI SAE flange  
Flangia a 90° SAE 3000 PSI

DN	Ø	REFERENCIA PART N°
3/4"	38.1	B641831212
1"	44.5	B641831616
1"1/4	50.8	B641832020


## Brida SAE 6000 PSI



Bride SAE droite série 6000 PSI  
6000 PSI SAE straight flange  
Flangia SAE 6000 PSI

DN	Ø	REFERENCIA PART N°
3/4"	41.3	B642821212
1"	47.6	B642821616
1"1/4	54	B642822020

## Brida 90° SAE 6000 PSI



Bride SAE coude 90° serie 6000 PSI  
90° 6000 PSI SAE flange  
Flangia 90° SAE 6000 PSI

DN	Ø	REFERENCIA PART N°
3/4"	41.3	B642831212
1"	47.6	B642831616
1"1/4	54	B642832020

Low pressure

Air conditioned hoses and fittings

Measuring flow

Machines for mounting flexibles




## Conexiones Interlock CrIII

Embouts à sertir Interlock CrIII

Interlock serie fittings CrIII

Raccordi serie Interlock CrIII

### Espiga para brida macho Poclairn



Embout bride mâle Poclairn

Poclairn male flange

Inserto per flangia maschio Poclairn

DN	Ø	REFERENCIA PART N°	
3/4"	3/4"	648011212	
1"	1"	648011616	
1"1/4	1"1/4	648012020	

### Espiga para brida hembra Poclairn



Embout bride femelle Poclairn

Poclairn female flange

Inserto per flangia femmina Poclairn

DN	Ø	REFERENCIA PART N°	
3/4"	3/4"	648021212	
1"	1"	648021616	
1"1/4	1"1/4	648022020	

### Brida entera macho Poclairn 4 agujeros



Bride rectangulaire de fixation mâle Poclairn-4 trous

Male Poclairn flange 4 holes

Flangia intera maschio Poclairn 4 fori

TAMAÑO SIZE	REFERENCIA PART N°	
1/2"	448050808*	
3/4"	448051212	
1"	448051616	
1"1/4	448052020	

### Brida entera hembra Poclairn 4 agujeros




Bride rectangulaire de fixation femelle Poclairn-4 trous

Female Poclairn flange 4 holes

Flangia intera femmina Poclairn 4 fori

TAMAÑO SIZE	REFERENCIA PART N°	
1/2"	448060808*	
5/8"	448061010*	
3/4"	448061212	
1"	448061616	
1"1/4	448062020	

### Brida entera macho Poclairn 2 agujeros



Bride ovale fixation mâle Poclairn 2 trous

Male Poclairn flange 2 holes

Flangia intera maschio Poclairn 2 fori

TUBO PIPE	REFERENCIA PART N°	
1/2"	448070808*	
5/8"	448071010	
3/4"	448071212	
1"	448071616	
1"1/4	448072020	

### Brida entera hembra Poclairn 2 agujeros



Bride ovale fixation femelle Poclairn 2 trous

Female Poclairn flange 2 holes

Flangia intera femmina Poclairn 2 fori

TUBO PIPE	REFERENCIA PART N°	
5/8"	448081010*	
3/4"	448081212	
1"	448081616	
1"1/4	448082020	